

METHYL
TRIGLYCOL
PURE



Chemical Characterization

Triethylene glycol monomethyl ether
2-(2-(2-Methoxyethoxy)-ethoxy)-ethanol

CAS-No.: 112-35-6

Registrations: EINECS (Europe), TSCA (USA), AICS (Australian),
DSL (Canada), ECL (Korea), PICCS (Philippines), ENCS (Japan), ASIA-
PAC i.e.

CLARIANT INTERNATIONAL LTD
BU Industrial & Consumer Specialties

Rothausstrasse 61
4132 MuttENZ
Switzerland

Contacts:

Technical: +49 (0) 8679 75168
Commercial: +41 (0) 61 469 7766

COPYRIGHT ©
CLARIANT INTERNATIONAL LTD 2012

ISSUE

August 2013, Version 01

Product Description

Methyl triglycol is a colorless, neutral, weakly hygroscopic and slightly mobile liquid with a mild pleasant odor. It is miscible in any ratio with water and the usual organic solvents e.g. acetone, diethyl ether, methanol.

Methyl triglycol enters into the typical alcohol reactions. Methyltriglycol is used in brakefluid formulations und organic intermediates.

Storage Advices

Glycol ethers and their derivatives tend to form peroxides in the presence of air or oxygen.

Due to the hygroscopicity Methyl triglycol storage to prevent absorption of water has to be ensured. It is recommended to reduce moisture pickup by nitrogen blanketing of storage tanks.

Storage tanks should be made from stainless steel. Alumina and other light metals are not suitable due to alcoholate formation with methyl triglycol. For further informations please refer to the safety data sheet.

Physical Data

Molar Mass	g/mol	164
Boiling Range/1013 hPa	°C	240 - 280
Freezing Point (DIN 51583)	°C	- 48
Flash Point (DIN 51755)	°C	approx. 125
Ignition Temperature (DIN 51794)	°C	215
Refractive Number n_D^{20} (DIN 51423, part 2)		1.4381
Vapor Pressure / 20 °C	mbar	0.1
Density / 20 °C (DIN 51757)	g/cm ³	approx. 1.05
Kinematic Viscosity / 20 °C (DIN 51562)	mm ² /s	7 - 7.5
Miscibility with Water		100 % miscible

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application.* Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

* For sales to customers located within the United States and Canada the following applies in addition: NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

